



NO.222600723554774



运输危险性鉴定书

Hazard Classification and
Identification Report for Transport of Goods

普通货物

样品名称： 铅酸蓄电池 55B24LS 12V 45Ah

Sample Name: Lead acid battery 55B24LS 12V 45Ah

委托单位： 浙江天能汽车电池有限公司
Zhejiang Tianneng Automotive Battery Co., Ltd.

生产单位： 浙江天能汽车电池有限公司
Zhejiang Tianneng Automotive Battery Co., Ltd.



上海化工院检测有限公司
SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO.,LTD.



运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 222600723554774
Page 1 /3

样品名称 Sample Name	中文 Chinese	铅酸蓄电池 55B24LS 12V 45Ah
	英文 English	Lead acid battery 55B24LS 12V 45Ah
委托单位 Applicant		浙江天能汽车电池有限公司 Zhejiang Tianneng Automotive Battery Co., Ltd.
生产单位 Manufacturer		浙江天能汽车电池有限公司 Zhejiang Tianneng Automotive Battery Co., Ltd.
检验方法、程序 Inspection Methods and Procedures		JT/T617-2018《危险货物道路运输规则》第2、3部分及第1号修改单 JT/T 617-2018 Regulations concerning road transportation of dangerous goods Part 2 and 3, incorporating amendment No.1
样品外观与气味 Appearance & Odor		黑色塑胶外壳, 无臭 Black Plastics cement shell, Odorless
IDENTIFICATION 鉴定结论 CONCLUSION	1. 危险性识别 (Hazards identification) 无。 None. 2. 公路运输按照JT/T 617-2018办理的类项 (Suggestion according to JT/T 617-2018) 根据特殊规定238, 可不受本规则限制。 The product is not subject to JT/T 617-2018 according to special provision 238. 3. 包装类别 (Packing Group) 无。 None.	
	检验日期: 2025-12-26 签发日期: 2025-12-26 生效日期: 2026-01-01 Inspection Date: Issue Date: Effective Date:	
备注 Comment		

批准
Approver:

王景

审核
Checker:

董学胜

主检
Appraiser:

孙清



运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 222600723554774

Page 2 / 3

序号 NO	检验项目名称 Name of Test Items	标准要求或标准条款号 Standard requirement or The Clause Number of Standard	检测结果 Test Result	本项结论 Conclusion	备注 Remark
3	振动试验 Vibration test	联合国《关于危险货物运输的建议书 规章范本》3.3章 特殊规定238(a) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(a)	合格。 Passed.	合格。 Passed.	/
6	压差试验 Pressure differential test	联合国《关于危险货物运输的建议书 规章范本》3.3章 特殊规定238(a) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(a)	合格。 Passed.	合格。 Passed.	/
9	55℃漏液试验 Leakage test at 55℃	联合国《关于危险货物运输的建议书 规章范本》3.3章 特殊规定238(b) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(b)	合格。 Passed.	合格。 Passed.	/
备注 Comment		电池必须具有适当的防短路措施, 若是以电池为动力的装置、设备或车辆还须采取有效的防止意外启动措施。 The battery must be protected appropriately to prevent a short circuits and any battery powered device, equipment or vehicle must be effectively prepared to prevent unintentional activation.			




运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 222600723554774

Page 3 / 3



6-QWLZ-45(380)LS

55B24LS 12V 45Ah CCA 380A



报告结束



运输危险性鉴定书

Hazard Classification and
Identification Report for Transport of Goods

非限制性货物

样品名称： 铅酸蓄电池 55B24LS 12V 45Ah

Sample Name: Lead acid battery 55B24LS 12V 45Ah

委托单位： 浙江天能汽车电池有限公司
Zhejiang Tianneng Automotive Battery Co., Ltd.

生产单位： 浙江天能汽车电池有限公司
Zhejiang Tianneng Automotive Battery Co., Ltd.



上海化工院检测有限公司
SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO.,LTD.



运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 222600723554173

Page 1 / 3

样品名称 Sample Name	中文 Chinese	铅酸蓄电池 55B24LS 12V 45Ah
	英文 English	Lead acid battery 55B24LS 12V 45Ah
委托单位 Applicant	浙江天能汽车电池有限公司 Zhejiang Tianneng Automotive Battery Co., Ltd.	
生产单位 Manufacturer	浙江天能汽车电池有限公司 Zhejiang Tianneng Automotive Battery Co., Ltd.	
检验方法、程序 Inspection Methods and Procedures	国际海事组织《国际海运危险货物规则》(2024版) IMO International Maritime Dangerous Goods Code (2024 Edition)	
样品外观与气味 Appearance & Odor	黑色塑胶外壳, 无臭 Black Plastics cement shell, Odorless	
I D E N T I F I C A T I O N C O N C L U S I O N 鉴 定 结 论	1. 危险性识别 (Hazards identification) 无。 None.	
	2. 海运按照IMO IMDG Code办理的类项 (Suggestion according to IMO IMDG Code) 根据特殊规定238, 可按非限制性货物条件办理。 The product is not subject to IMO IMDG Code according to special provision 238.	
	3. 包装类别 (Packing Group) 无。 None.	
	检验日期: 2025-12-26 签发日期: 2025-12-26 生效日期: 2026-01-01 Inspection Date: Issue Date: Effective Date:	
备注 Comment	/	

批准
Approver:

王军

审核
Checker:

董学胜

主检
Appraiser:

孙清



运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 222600723554173

Page 2 / 3

序号 NO	检验项目名称 Name of Test Items	标准要求或标准条款号 Standard requirement or The Clause Number of Standard	检测结果 Test Result	本项结论 Conclusion	备注 Remark
3	振动试验 Vibration test	联合国《关于危险货物运输 的建议书 规章范本》3.3章 特殊规定238(a) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(a)	合格。 Passed.	合格。 Passed.	/
6	压差试验 Pressure differential test	联合国《关于危险货物运输 的建议书 规章范本》3.3章 特殊规定238(a) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(a)	合格。 Passed.	合格。 Passed.	/
9	55℃漏液试验 Leakage test at 55℃	联合国《关于危险货物运输 的建议书 规章范本》3.3章 特殊规定238(b) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(b)	合格。 Passed.	合格。 Passed.	/
备注 Comment		电池必须具有适当的防短路措施, 若是以电池为动力的装置、设备或车辆还 须采取有效的防止意外启动措施。 The battery must be protected appropriately to prevent a short circuits and any battery powered device, equipment or vehicle must be effectively prepared to prevent unintentional activation.			




运输危险性鉴定书

Hazard Classification and Identification Report
for Transport of Goods

NO. 222600723554173

Page 3 / 3



6-QWLZ-45(380)LS

55B24LS 12V 45Ah CCA 380A



报告结束